

750.00 OP

01 FC:1801

Case No. 10808/33 (01 P 09245)

# IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:				
Sasan Cyrusian				
Serial No: 09/865,649	Examiner: Michael Shingleton			
Filed: May 25, 2001	Group Art Unit: 2858			
For: A GM REPLICA CELL UT AN ERROR AMPLIFIER CONNECTED TO A CUR MIRROR				
REQUEST FOR CO	ONTINUED EXAMINATION (37 CFR § 1.114)			
Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450  Dear Sir:  Applicant requests continu  Applicant is:	JUL 30 2003 ued examination under 37 CFR § 1.114.			
a small entity, verified statement is:  attached already filed  other than small entity				
The fee set forth in § 1.17	The fee set forth in § 1.17(e) must be filed along with this request:			
Attached is a check	Attached is a check for the § 1.17(e) fee.			
	e) fee to Deposit Account No. 23-1925. f this request is attached.			
07/25/2003 BABRAKA1 00000144 09855649				

<b>\(\rightarrow\)</b>	A submission must be filed along with this request. The following submission(s) filed herewith:			The following submission(s) is(are)
	$\boxtimes$	An Information Disclosure Stateme	nt	
		An Amendment to the written descr	iption, cla	aims, or drawings
		New Arguments and/or New Evider	ice in Sup	pport of Patentability
		Other:	_	
$\boxtimes$	A petition and fee for an extension of the time is enclosed herewith.			
	A check in the amount of \$ to cover the additional claims fee is enclosed.			
$\boxtimes$	Charge any additional fee required or credit for any excess fee paid to Deposit Account No. 23-1925. A duplicate copy of this request is attached.			
			Respect	fully submitted,
Dated:		July 22, 2003	Registra	I. Bluestone tion No. 44,542 y for Applicant
P.O. B CHICA	OX 103	L 60610		



Date of Deposit: July 22, 2003

Our Case No. 10808/33 (01 P 09245)

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:	)
Sasan Cyrusian	) )
Serial No.: 09/865,649	) Examiner: M. Shingleton
Filing Date: May 25, 2001	) Group Art Unit No.: 2817
For: A GM REPLICA CELL UTILIZING AN ERROR AMPLIFIER CONNECTED TO A CURRENT	) ) ) ;

## **RESPONSE**

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

**MIRROR** 

Dear Sir:

Responsive to the Office Action dated April 22, 2003, please consider the following amendments and remarks:

## <u>AMENDMENTS</u>

## IN THE TITLE:

Please cancel the present title and amend the title to read: "A GM replica cell utilizing an error amplifier connected to a current mirror."

## IN THE CLAIMS:

Please cancel claims 19 – 26.